

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (currently amended) A method, comprising:
receiving a search query;
determining a geographic location associated with the query;
determining a location sensitivity score that corresponds to a geographic range associated with at least one of ~~identifies an extent or amount to which geographically-based search results are relevant to~~ the query or a user issuing the query;
determining topical scores for a set of documents based, at least in part, on the query;
determining a distance score for each document in the set of documents based, at least in part, on the location sensitivity score and a distance between a geographic document location associated with the document[[,]] and the geographic location associated with the query, ~~and the location sensitivity score~~; and
ordering the set of documents as a function of both the topical scores of the set of documents and the distance scores of the set of documents.
2. (canceled)
3. (original) The method of claim 1, wherein the function depends on the topical score and the distance score of each document in the set of documents.

4. (original) The method of claim 1, wherein the topical score is higher for more relevant ones of the documents and a distance score is higher for ones of the documents with a document location nearer to the location associated with the query.

5. (original) The method of claim 4, wherein the function is a monotonic function of the topical scores and a monotonic function of the distance scores.

6. (currently amended) The method of claim 1, ~~wherein determining a distance score for a document includes calculating a distance from the document location to the location associated with the query, and~~ wherein the distance score is a monotonic function of the ~~calculated~~ distance.

7. (original) The method of claim 1, wherein the ordering the set of documents further comprises weighting the topical scores and the distance scores.

8. (original) The method of claim 7, wherein a topic weight is applied to the topical scores and a distance weight is applied to the distance scores.

9. (original) The method of claim 8, wherein the topic weights vary for different ones of the topical scores and the distance weights vary for different ones of the distance scores.

10. (currently amended) The method of claim 9, wherein at least some of the weights vary based, at least in part, on the search query.

11. (currently amended) The method of claim 9, wherein at least some of the weights vary based, at least in part, on one of a topic or a keyword associated with the search query.

12. (original) The method of claim 1, wherein a first document in the set of documents includes a corresponding first topical score and first distance score, a second document in the set of documents includes a corresponding second topical score higher than the first topical score and second distance score lower than the first distance score, a third document in the set of documents includes a corresponding third topical score higher than the first topical score and third distance score lower than the first distance score; and

wherein the ordering the set of documents includes ordering the second document higher than the first document and the third document lower than the first document.

13. (original) The method of claim 1, wherein a first document in the set of documents includes a corresponding first topical score and first distance score, a second document in the set of documents includes a corresponding second topical score lower than the first topical score and second distance score higher than the first distance score, a third document in the set of documents includes a corresponding third topical score lower than the first topical score and third distance score higher than the first distance score; and

wherein the ordering the set of documents includes ordering the second document higher

than the first document and the third document lower than the first document.

14. (original) The method of claim 1, wherein the ordering the set of documents includes:

generating an overall score for each of the documents in the set of documents based, at least in part, on the topical score and the distance score, and
ordering the set of documents based, at least in part, on the overall scores.

15. (canceled)

16. (currently amended) The method of claim 1, wherein the location sensitivity score ~~depends, at least in part, on~~ is a function of at least one of a keyword within the query, a topic associated with[[.]] the query, the geographic location associated with the query, a user profile associated with the user, or user selection behavior of the ~~or a user issuing the query.~~

17. (original) The method of claim 1, wherein the documents are web pages.

18. (original) The method of claim 1, wherein the documents are advertisements.

19. (currently amended) A system, comprising:
means for determining a geographic location associated with a query;
means for determining a location sensitivity score that corresponds to a geographic range

~~associated with~~ identifies an extent or amount to which geographically-based search results are relevant to the query or a user issuing the query;

means for determining a distance score for each of ~~[[the]]~~ a plurality of documents based, at least in part, on the location sensitivity score and a distance between a geographic location to which the document locations associated with the documents, is geographically relevant and the geographic location associated with the query, and the location sensitivity score; and

means for arranging the documents based, at least in part, on the distance scores.

20. (currently amended) A server, comprising:

a document locator configured to:

receive a search query, and

identify a set of documents based, at least in part, on the search query;

a location component configured to:

determine a geographic location associated with the search query, and

determine location sensitivity data that corresponds to a geographic range associated with ~~identifies an extent or amount to which geographically-based search results are relevant to the search query~~ or a user that issued the search query; and

a ranking component configured to:

determine topical scores for the set of documents based, at least in part, on the search query,

determine distance scores for the set of documents based, at least in part, on the location sensitivity data, and distances between geographic document locations

associated with the set of documents[,]] and the geographic location associated with the search query; ~~and the location sensitivity data associated with the search query,~~ and rank the set of documents based, at least in part, on the topical scores for the set of documents and the distance scores for the set of documents.

21. (original) The server of claim 20, wherein the ranking component is further configured to order the set of documents based, at least in part, on the ranking of the set of documents.

22. (currently amended) A method, comprising:
receiving a search query;
identifying a topic relating to the search query;
determining location sensitivity data that corresponds to a geographic range relating to
~~identifies an extent or amount to which geographically-based search results are relevant to the~~
identified topic;
identifying a set of documents based, at least in part, on the search query;
determining a geographic location associated with at least one document in the set of documents; and
ranking the at least one document in the set of documents based, at least in part, on the geographic location associated with the at least one document and the location sensitivity data.

23. (currently amended) The method of claim 22, wherein the ~~determining~~ location

sensitivity data further includes ~~determining a geographic range for the identified topic is~~
determined based, at least in part, on a user profile associated with a user.

24. (previously presented) The method of claim 22, wherein the location sensitivity data is determined based, at least in part, on user behavior with regard to prior search results.

25. (canceled)

26. (currently amended) The method of claim 23, wherein the ranking at least one document in the set of documents is based, at least in part, on the geographic location associated with the at least one document and the geographic range for the identified topic.

27. (currently amended) A system, comprising:

at least one server configured to:

receive a search query,

determine location sensitivity data that corresponds to a geographic range relating
to identifies an extent or amount to which geographically-based search results are
relevant to the search query or a user that issued the search query,

identify a set of documents based, at least in part, on the search query,

determine a geographic location associated with each document in the set of documents, and

score a document in the set of documents based, at least in part, on the geographic

location associated with the document and the location sensitivity data.

28. (currently amended) A method ~~for presenting advertisements relevant to a target document~~, comprising:

analyzing ~~[[the]]~~ a target document to identify a topic for the target document and a geographic location associated with the target document;

identifying targeting information for a plurality of advertisements;
comparing the targeting information to the topic to identify a set of potential advertisements;

determining a distance score for at least one advertisement in the set of potential advertisements using a geographic location of an advertiser ~~location~~ associated with the one advertisement and the geographic location associated with the target document;

ordering the set of potential advertisements based, at least in part, on the distance score of the at least one advertisement; and

presenting at least some of the ordered set of potential advertisements.

29. (original) The method of claim 28, further comprising:
ranking the set of potential advertisements based, at least in part, on the comparing; and
wherein the ordering the set of potential advertisements includes re-ranking at least some of the set of potential advertisements.

30. (currently amended) The method of claim 28, wherein the geographic location

associated with the target document is based, at least in part, on a user that accesses the target document.

31. (previously presented) A system for presenting advertisements relevant to a target document, comprising:

- means for identifying a topic for the target document;
- means for identifying a location associated with the target document;
- means for identifying targeting information for a plurality of advertisements;
- means for identifying a set of potential advertisements based, at least in part, on the targeting information and the topic for the target document;
- means for determining a distance score for at least one advertisement in the set of potential advertisements using an advertiser location associated with the at least one advertisement and the location associated with the target document;
- means for ranking the set of potential advertisements based, at least in part, on the distance score of the at least one advertisement; and
- means for presenting at least one of the ranked set of potential advertisements within the target document.